

## FIG.2

| DIRECTORY OR FILE | TYPE OF DATA            |  |
|-------------------|-------------------------|--|
| / aaa             | OS SETTING DATA         |  |
| / bbb / ccc       | USER DATA               |  |
| / ddd / file-a    | APPLICATION INFORMATION |  |
| / ddd / file-b    | USER DATA               |  |
| :                 | :                       |  |
| / xxx             | OS SETTING DATA         |  |
|                   |                         |  |

## FIG.3

| USER REQUEST TO<br>RESTORE DATA | TYPE OF DATA TO BE RESTORED   |
|---------------------------------|---|
| FULL RESTORATION                | USER DATA, OS SETTING DATA,<br>APPLICATION INFORMATION,<br>OTHER DATA |
| REINSTALLATION                  | DIFFERENCE BETWEEN BACKED UP<br>STATUS AND INITIAL STATUS             |
| TRANSFER TO NEW PC              | USER DATA ,<br>APPLICATION INFORMATION                                |
| DATA CREATED BY USER            | USER DATA   |

FIG.4

| IP ADDRESS                    |  |  |  |
|-------------------------------|--|--|--|
| USER DATA                     |  |  |  |
| OS SETTING DATA               |  |  |  |
| APPLICATION INFORMATION       |  |  |  |
| OTHER DATA                    |  |  |  |
| DATA DISTRIBUTION INFORMATION |  |  |  |

FIG.5

| FILE NAME   | TIME                      | DATE                      | DESTINATION               | DISTRIBUTION<br>HOLD<br>INFORMATION |
|---|---------------------------|---------------------------|---------------------------|-------------------------------------|
| /ddd/file-b 23:00:00 1-ST DAY<br>OF<br>EVERY<br>MONTH | IP ADDRESS A <sub>1</sub> |                           |                           |                                     |
|   | IP ADDRESS A <sub>2</sub> | ON HOLD                   |                           |                                     |
|   | :                         |                           |                           |                                     |
|   | . ,                       |                           | IP ADDRESS A <sub>i</sub> |                                     |
| /eee/file-e 1:00:00 EVERY SATURDAY                    | IP ADDRESS B <sub>1</sub> |                           |                           |                                     |
|   | SATURDAY                  | IP ADDRESS B <sub>2</sub> | ·                         |                                     |
|   | :                         |                           |                           |                                     |
|   |                           | IP ADDRESS B <sub>j</sub> |                           |                                     |
| ÷   | :                         | :                         | :                         | :                                   |

FIG.6




FIG.7




FIG.8




FIG.9

